

CE

IP54

IK16

The Code BA is an impact-resistant toilet/bathroom lamp, optionally available with a stainless steel switch and/or wall socket. Ideally suited for vandal-sensitive areas such as penitentiaries, correctional facilities, forensic psychiatric centers, other detention centers, medical centers and hospitals.



Specifications

Housing material	Stainless steel
Surface finish	Powder coated
Cover material	Acrylic
LED type	Bridgelux 2835 LED
CRI	≥ 90
Voltage	230 V
Lifetime fixture	30 years
Lifetime LED	L90B10 @ 100.000h, 25°C
Dimmable	No
Future proof	Yes
Nett efficiency	134 Lumen/W

Typenumber	Length (L)	Width (B)	Height (H)	Lumen	Load	Weight
CBA3 1 3K W	360mm	130mm	92mm	578lm	4.3W	3,0kg
CBA6 1 3K W	660mm	130mm	92mm	1152lm	8.6W	4,6kg
CBA6 1 3K W TRAFO	760mm	155mm	120mm	1152lm	8.6W	4,9kg

Colour white (RAL 9016)	Standard (W)
Colour black (RAL 9005)	Replace W for B
Colour grey (RAL 7035)	Replace W for G
LED Colour temperature	Replace 3K for 4K
Stainless steel switch	Add SCH
Power socket	Add WCD

Country of origin	The Netherlands
SROI	> 25% of our production
Latest development	14/12/2022
LDT/IES file	Download via website



LIGHT
INTERNATIONAL

