

The Code BB is a fitting which is designed to be comfortable but still withstand violence, the product is widely used in environments which are sensitive for molest. The Code BB is mainly used as a bedside fitting, desk fitting or above the personal mirror in detention centres, prisons, psychiatric clinics and other similar facilities.

CE

IP40

IK16



### Specifications

Housing material	Stainless steel
Surface finish	Powder coated
Cover material	PET-G
LED type	Samsung LM561C, S6
Lifetime LED	L90B10 @ 100.000h, 25°C
Lifetime fixture	30 years
Voltage	230 V
CRI	≥ 80
Dimmable	No
Future proof	Yes
Net efficiency	134 Lumen/Watt



# LIGHT

INTERNATIONAL

Typenumber	Length	Lumen	Load	Weight
CBB3 1 3K W	306mm	578 lm	4,3W	1,5kg
CBB6 1 3K W	606mm	1152 lm	8,6W	2,1kg

Colour white (RAL 9016)	Standard (W)
Colour black (RAL 9005)	Replace W for B
Colour grey (RAL 7035)	Replace W for G
LED Colour temperature	Replace 3K for 4K
Stainless steel switch	Add SCH
Power socket	Add WCD
Jack Plug 6.3mm	Add JP6.3
Cable entry at the side	Add SI (not possible with SCH and WCD)

Warranty	10 years
Country of origin	The Netherlands
SROI	> 25% of our production
Latest development	17/08/2023
LDT/IES file	Download via website



**LIGHT**  
INTERNATIONAL

