



**Radium**  
Die Lichtmarke

# GAME CHANGER

**Keep current.**

Change fluorescent tubes, keep luminaires.  
Cost-efficient, dimmable, resource-saving.

LED T8 Neo and LED Driver

[www.radium.de/led-t8-neo](http://www.radium.de/led-t8-neo)



Give your luminaires an upgrade.  
**With Radium LED T8 Neo.**

For warehouses, production halls or even office spaces, the classic T8 fluorescent tubes have been standard for a long time. With Radium LED T8 Neo, a completely new product concept is now coming onto the market. This gives your existing luminaires the chance to get a simple upgrade. Which is smart, efficient and environmentally friendly.

Disposing of existing, functional luminaires completely would be costly and ecologically insane. The new Radium LED T8 Neo, **is just as efficient as many new LED-luminaires - and with less waste.**



## Low effort - great effect

Converting to Radium LED T8 Neo is as easy as replacing a defective ballast in a classic luminaire. Just install the new driver, screw in the LED T8 Neo - done!

Big advantage: With many modern LED alternatives, luminaire and light source are one. This means that every defect means a complete replacement of the luminaire and thus new assembly effort and new electrical waste. The widespread T8 standard certainly also allows you to choose your light source freely in the long term. In contrast to replacing it with new LED lights, the LED T8 Neo offers the option of replacing only the standardized T8 lamp.

## Radium LED T8 Neo is compatible

Radium LED T8 Neo fit into all standard G13 lamp holders and match the classic dimensions of a T8 fluorescent tube. That's all there is in common. To convert to LED T8 Neo, just replace the lamp and replace the ECG or CCG 1:1 with the LED driver. The LED tube and the LED driver are optimally tuned with each other, so that no compatibility tests are necessary after the conversion.

## The secret of many functions: the external LED driver.

By operating an external LED driver instead of an integrated driver in the tube, the LED T8 Neo convinces with its special features that you will not find in any other LED tube. The Radium LED drivers replace existing ECGs/CCGs 1:1. Ideal for quickly connecting your own lighting system to the future. Up to four Radium LED T8 Neo can be connected per LED driver. Even emergency lighting systems can be operated with our LED tubes.

## Your advantages

- Increase in efficiency: up to 180 lm/W
- Super bright: up to 5,180 lm per lamp
- Extremely long service life: up to 70,000h L80B10
- 5 years guarantee
- future-proof by DALI control
- flicker-free
- dimmable
- suitable for Emergency power
- cost efficient
- TÜV certified

Dare the Jump into the Future with Existing Luminaires.

## With an Convincing Concept.

The new LED T8 Neo transform your existing luminaires into modern lighting systems that are super bright, flicker-free, dimmable, suitable for emergency power supply and DALI-capable. A conclusive product concept, that is second to none. The highlight: an external LED driver that equips every Radium LED T8 Neo with functions that characterize modern lighting management today.

**This makes Radium LED T8 Neo a lot superior to all previous retrofit solutions.**

Robust, external Radium Driver instead of integrated Mini-Driver.

### Radium LED T8 Neo

- + Very high efficiency up to 180 lm/W
- + High luminous flux up to 5,180 lm
- + Flicker-free lighting



### Radium LED-Driver

- + One Radium LED T8 Neo Radium DALI can drive up to 4 Radium LED T8 Neo.
- + External driver creates space for high quality technical components that are not feasible in mini driver format.
- + High reliability
- + No compatibility check





## The DALI capability enables further optimization via a lighting management system or central building control.

By using our DALI 2 drivers, you have all the possibilities that DALI offers, including integration into an IoT network. Whether the lamps should shine brighter or darker in the future can, however, also be set directly via dip switches on the respective driver - during installation or even later.



## Brighter, darker, dimmable - enjoy the new possibilities.

The LED T8 Neo luminous flux can be adjusted via control current. Specifically: With the appropriate ballast, the Radium LED T8 Neo can be set to a desired value via the operating current (constant current). In this way, it emits the right brightness for every „visual task“.

## Suitable for emergency power

Unlike ordinary LED tubes, Radium LED T8 Neo are even suitable for installation in emergency power systems. This is because Radium drivers are also DC-capable. This means that your new Radium LED T8 Neo will continue to shine with the same brightness even if the power supply is switched to DC in the event of a fault.

**Are you planning a big project?**

If you think about a big lighting installation, we would like to support you.

**Just contact us by phone: +49 (0) 2267 81-493 or by E-Mail to [customerservice@radium.de](mailto:customerservice@radium.de)**

One lamp for everything: adjustable luminous flux, modular functionality.

**For versatile use.**

Cost consciousness, efficiency and resource conservation are practically woven into the DNA of the new Radium LED T8 Neo. Witness the many advantages for variable operation and **flexible use of your system.**



## Optimized storage: one Luminaire, multiple Luminous fluxes

Thanks to the modular system of driver and lamp, as well as the possibility of adjusting the luminous flux as needed, the Radium LED T8 Neo is also highly efficient in storage. So you don't have to buy several types of luminaires, you only need one light source that you can use flexibly.

## Short delivery times

While ordering new LED luminaires often involves long waiting times, you can quickly convert your existing luminaires to Radium LED T8 Neo.

### Convincing even in comparison with classic retrofit solutions.

- Storage and portfolio complexity is significantly reduced (function is in modular design)
- Greater flexibility due to variable luminous fluxes
- Long service life:           70.000h L80B10  
  100.000h L70B10
- High reliability due to separation of power electronics
- Compatibility guaranteed (no compatibility or dimmer lists)
- Higher functionality (dimnable, emergency power) and modularity
- Environmental friendly materials

## Sustainability by design

By choosing Radium LED T8 Neo, you score twice in terms of sustainability:

- **Save around 2,200 kg** of waste, as the luminaires are simply re-used and even technically future-proofed.
- With other luminaire suppliers, the lamp and luminaire have to be replaced in the event of a defect because the two are inseparably connected or replacing the module is too time-consuming. With Radium LED T8 Neo, on the other hand, it is sufficient to replace only the component that is not working: LED tube, driver or luminaire. As a result, even at the end of the service life, the amount of waste is low. Compared to replacing a luminaire insert, you again save about **700 kg** of waste for 1,000 fixtures.

## High operational safety due to glass and shatter protection

Radium LED T8 Neo is made of a long-proven material: glass. While typical plastic LED tubes sag quickly or bend when exposed to heat, a glass bulb remains rigid for a clear appearance. For high protection during transport and operation, a shatter guard secures all glass tubes. Thus, even if the bulb is broken, no splinters escape that could cause injury or contaminate production. This makes the lamps even suitable for use in the food industry (IFS).



By retrofitting, you reduce acquisition costs and save in the long term.

## With efficiency plus comfort.

With the conversion to the new Radium LED T8 Neo you invest little and save a lot. Because all your functional T8 luminaires can continue to be used. Just out of curiosity, you might want to calculate how much it would cost to replace all the luminaires, including installation and lamps. The costs for the environment are also significantly lower when converting to Radium LED T8 Neo.

### You can save this much



Simply scan the QR code and compare costs with the LED's Save calculator on [www.radium.de/leds-save](http://www.radium.de/leds-save)



### Low Investment. Quick Amortisation.

Compared to an LED continuous row system, the investment costs with LED T8 Neo are more than 60 % lower. Replacing fluorescent lamps with LED T8 Neo pays for itself after only 8.8 months.

	LED T8 NEO	LED- Luminaire
Number of Luminaires (pcs)	40	40
Number of Lamps per Luminaire (pcs)	2	1
Changeover time per Luminaire (Min.)	12	20
personnel costs/hour	70,00€	70,00€
Investition per Luminaire DALI (UVP)	110,70€	304,90€
Total investment costs	<b>4.988,00€</b>	<b>13.129,33€</b>






## Reduce maintenance intervals: Radium LED T8 Neo last longer.

With 70,000 hours of light, the LED T8 Neo can illuminate rooms non-stop for almost 8 years. The drivers have the same service life. Radium gives a 5-year guarantee on drivers and LED tubes.

## 20-year after-sales guarantee

Radium LED T8 Neo offer you long-term security, as you can safely purchase our products in the long-term. This way, you invest in the future of your lighting infrastructure with foresight.



## Use the LED advantage against high electricity costs

With the same luminous flux, Radium LED T8 Neo consumes about 50% less energy, in some luminaires it even saves up to 80% compared to conventional fluorescent tubes. In addition, power consumption can be further reduced with Radium LED T8 Neo through efficient lighting management - via DALI, Push&DIM or setting the luminous flux directly on the driver.



With Radium LED T8 Neo you trust  
in high quality.

**For long-term use.**

The Neo system uses a reliable external Radium LED driver instead of an integrated mini-driver. This creates more installation space for high-quality and durable components. This enables versatile and dimmable solutions that are used in many application areas - in office buildings, logistics halls and industrial buildings.

## Project process

1

**Contact** our advisory team by email at:  
[customerservice@radium.de](mailto:customerservice@radium.de)

3

Recommendation planning and  
**receive offer** from Radium

2

**Transmission of the key data**

- Size of the plant
- Number of lighting points
- Current lighting system
- Lamps currently installed
- Dimmable: yes or no?
- How bright is the current installation?
- How bright should the new installation be?

4

**Place** an order

5

Receive **delivery**

## Safety with letter and seal

Whether fire protection or building insurance - there are many players who look critically at innovations. We have tested the combination of LED driver and LED tube in detail and the responsible master electrician certifies the safe and standard-compliant operation of the converted luminaire with LED T8 Neo by specialist contractor declaration.

## Safe is safe: TÜV and ENEC certified

Since 1904 Radium stands for safety and high quality made in Germany. That is why the new Radium LED T8 Neo have also been ENEC certified by TÜV Süd. In addition, the safety extra-low voltage (SELV) ensures high operational safety.



## Continue to use instead of throwing away

Converting your lighting system to LED T8 Neo is smart, because in addition to low purchase and operating costs, you also benefit from high efficiency and future-proof light management.

Thanks to their long service life of 70,000 hours and their full compatibility for the replacement of T8 fluorescent tubes, the LED T8 Neo is a great replacement product for any application. In addition, the CO<sub>2</sub> footprint is very low.

**With LED T8 Neo you combine sustainability and cost efficiency with flexibility!**

**Keep current now and make an appointment for a personal consultation.**



Use our contact form :

<https://www.radium.de/en/form/beratungstermin-zu-led-t8-neo-ve>

We will be happy to advise you on the possibilities that LED T8 Neo open up for you.

### **Please get in touch:**

E-Mail: [customerservice@radium.de](mailto:customerservice@radium.de)

Phone: +49 (0) 2267 81-493



## **Radium Lampenwerk GmbH**

Dr.-Eugen-Kersting-Str. 6  
51688 Wipperfürth  
Germany

Telephone +49 (0) 2267 811  
Telefax +49 (0) 2267 81353

radium@radium.de  
**www.radium.de**